

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (original): A controllably rotatable seat, which comprises:

a seat;

an arm attached to said seat;

AI a means for rotating said arm and said seat, said means for rotating having a point of rotation;

a platform, said arm being rotatably attached to said platform and said means for rotating being connected to said platform; and

a means for directing that rotation occur and directing that said seat and said arm be returned substantially to the pre-rotation orientation of said arm and said seat.

Claim 2 (original): The controllably rotatable seat as recited in claim 1, further comprising:

a lever arm that connects said arm to said means for rotating so that the point of rotation of the means for rotating will be substantially aligned with the center of gravity of a participant sitting in said seat.

Claim 3 (original): The controllably rotatable seat as recited in claim 2, wherein:

said means for directing comprises a timer in communication with said means for rotating.

Cont
AI

Claim 4 (original): The controllably rotatable seat as recited in claim 2, wherein:

said means for directing comprises:

one or more targets; and

a sensor capable of detecting said targets, said sensor communicating with

said means for rotating.

Claim 5 (original): The controllably rotatable seat as recited in claim 2, wherein:

said means for directing comprises:

a means for measuring a physical quantity selected from the physical quantities consisting of distance, speed, and acceleration; and

a logic unit through which the means for measuring communicates with the means for rotating.

Claim 6 (original): The controllably rotatable seat as recited in claim 5, wherein:

said logic unit is programmable.

Claim 7 (original): The controllably rotatable seat as recited in claim 2, wherein:

said arm and, consequently, said seat rotates at least ninety degrees.

Claim 8 (original): The controllably rotatable seat as recited in claim 7, wherein:

said means for directing comprises a timer in communication with said means for rotating.

Claim 9 (original): The controllably rotatable seat as recited in claim 7, wherein:

said means for directing comprises:

one or more targets; and

a sensor capable of detecting said targets, said sensor communicating with

said means for rotating.

A

Claim 10 (original): The controllably rotatable seat as recited in claim 7, wherein:

said means for directing comprises:

a means for measuring a physical quantity selected from the physical quantities consisting of distance, speed, and acceleration; and

a logic unit through which the means for measuring communicates with the means for rotating.

Claim 11 (original): The controllably rotatable seat as recited in claim 10, wherein:

said logic unit is programmable.

Claim 12 (original): The controllably rotatable seat as recited in claim 7, further comprising:

a means for retaining a participant to said seat.

Claim 13 (original): The controllably rotatable seat as recited in claim 12, wherein:

said means for directing comprises a timer in communication with said means for rotating.

Claim 14 (original): The controllably rotatable seat as recited in claim 12, wherein:

said means for directing comprises:

one or more targets; and

a sensor capable of detecting said targets, said sensor communicating with said means for rotating.

Claim 15 (original): The controllably rotatable seat as recited in claim 12, wherein:

said means for directing comprises:

a means for measuring a physical quantity selected from the physical quantities consisting of distance, speed, and acceleration; and

Cont
A1

a logic unit through which the means for measuring communicates with the means for rotating.

Claim 16 (original): The controllably rotatable seat as recited in claim 15, wherein:
said logic unit is programmable.

Claim 17 (original): The controllably rotatable seat as recited in claim 2, further comprising:

a means for retaining a participant to said seat.

Claim 18 (original): The controllably rotatable seat as recited in claim 17, wherein:
said means for directing comprises a timer in communication with said means for rotating.

Claim 19 (original): The controllably rotatable seat as recited in claim 17, wherein:
said means for directing comprises:

one or more targets; and

a sensor capable of detecting said targets, said sensor communicating with said means for rotating.

Claim 20 (original): The controllably rotatable seat as recited in claim 17, wherein:
said means for directing comprises:

a means for measuring a physical quantity selected from the physical quantities consisting of distance, speed, and acceleration; and

a logic unit through which the means for measuring communicates with the means for rotating.

Claim 21 (original): The controllably rotatable seat as recited in claim 20, wherein:
said logic unit is programmable.

A

Cont
A1

Claim 22 (original): The controllably rotatable seat as recited in claim 1, wherein:
said arm and, consequently, said seat rotates at least ninety degrees.

Claim 23 (original): The controllably rotatable seat as recited in claim 22, wherein:
said means for directing comprises a timer in communication with said means for rotating.

Claim 24 (original): The controllably rotatable seat as recited in claim 22, wherein:
said means for directing comprises:
one or more targets; and
a sensor capable of detecting said targets, said sensor communicating with
said means for rotating.

Claim 24~~24~~25 (currently amended): The controllably rotatable seat as recited in claim 22, wherein:

said means for directing comprises:
~~one or more targets; and~~
~~a sensor capable of detecting said targets, said sensor communicating with~~
~~said means for rotating.~~

a means for measuring a physical quantity selected from the physical
quantities consisting of distance, speed, and acceleration; and
a logic unit through which the means for measuring communicates with
the means for rotating.

Claim 26 (original): The controllably rotatable seat as recited in claim 25, wherein:
said logic unit is programmable.

A

Cont
A1
Claim 27 (original): The controllably rotatable seat as recited in claim 22, further comprising:

a means for retaining a participant to said seat.

Claim 28 (original): The controllably rotatable seat as recited in claim 27, wherein:

said means for directing comprises a timer in communication with said means for rotating.

Claim 29 (original): The controllably rotatable seat as recited in claim 27, wherein:

said means for directing comprises:

one or more targets; and

a sensor capable of detecting said targets, said sensor communicating with said means for rotating.

Claim 30 (currently amended): The controllably rotatable seat as recited in claim 27, wherein:

said means for directing comprises:

~~one or more targets; and~~

~~a sensor capable of detecting said targets, said sensor communicating with said means for rotating.~~

a means for measuring a physical quantity selected from the physical quantities consisting of distance, speed, and acceleration; and

a logic unit through which the means for measuring communicates with the means for rotating.

Claim 31 (original): The controllably rotatable seat as recited in claim 30, wherein:

said logic unit is programmable.

Cont
A.1

Claim 32 (original): The controllably rotatable seat as recited in claim 1, further comprising:

a means for retaining a participant to said seat.

Claim 33 (original): The controllably rotatable seat as recited in claim 32, wherein:

said means for directing comprises a timer in communication with said means for rotating.

Claim 34 (original): The controllably rotatable seat as recited in claim 32, wherein:

said means for directing comprises:

one or more targets; and

a sensor capable of detecting said targets, said sensor communicating with

said means for rotating.

Claim 35 (currently amended): The controllably rotatable seat as recited in claim 32, wherein:

said means for directing comprises:

~~one or more targets; and~~

~~a sensor capable of detecting said targets, said sensor communicating with~~

~~said means for rotating.~~

a means for measuring a physical quantity selected from the physical quantities consisting of distance, speed, and acceleration; and

a logic unit through which the means for measuring communicates with the means for rotating.

Claim 36 (original): The controllably rotatable seat as recited in claim 35, wherein:

said logic unit is programmable.

A